Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	("709"/\$.ccls. or "380"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$ or \$scrambl\$) and (authenticat\$ or activat\$) and (key with public) and ((timing or tempor\$ or chrono\$) adj1 (delay or lag or shift or delta)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 13:06
L2	436	("709"/\$.ccls. or "380"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$ or \$scrambl\$) and (authenticat\$ or activat\$) and (key with public) and ((timing or time or tempor\$ or chrono\$ or entrop\$) adj1 (delay or lag or shift\$ or delta or arrival)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 13:10
L3	180	("709"/\$.ccls. or "380"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and (((\$crypt\$ or \$cipher\$ or \$scrambl\$) with (file? or data or record? or packet? or block?)) and (authenticat\$ or activat\$) and (key adj2 public) and ((timing or time or tempor\$ or chrono\$ or entrop\$) adj1 (delay or lag or shift\$ or delta or arrival)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 13:13
L4	86	("709"/\$.ccls. or "380"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and (((\$crypt\$ or \$cipher\$ or \$scrambl\$) with (file? or data or record? or packet? or block?)) and (authenticat\$ or activat\$) and (key adj2 public) and ((timing or time or tempor\$ or chrono\$ or entrop\$) adj1 (delay or lag or shift\$ or delta or arrival))) and @ad<"20011030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 13:17
L5	8	("709"/\$.ccls. or "380"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and (((\$crypt\$ or \$cipher\$ or \$scrambl\$) with (file? or data or record? or packet? or block?)) and (authenticat\$ or activat\$) and ((key adj2 public) adj3 (regenerat\$ or generate? or creat\$ or build\$ or assembl\$)) and ((timing or time or tempor\$ or chrono\$ or entrop\$) adj1 (delay or lag or shift\$ or delta or arrival))) and @ad<"20011030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 13:22

F	T		т	T .		
L6	120	("709"/\$.ccls. or "380"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and (((\$crypt\$ or \$cipher\$ or \$scrambl\$) with (file? or data or record? or packet? or block?)) and (authenticat\$ or activat\$) and (((key adj2 public) or seed? or nounce? or random) adj3 (regenerat\$ or generate? or creat\$ or build\$ or assembl\$)) and ((timing or time or tempor\$ or chrono\$ or entrop\$) adj1 (delay or lag or shift\$ or delta or arrival))) and @ad<"20011030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 13:26
L7	129	("709"/\$.ccls. or "380"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and (((\$crypt\$ or \$cipher\$ or \$scrambl\$) with (file? or data or record? or packet? or block?)) and (authenticat\$ or activat\$) and (((key adj2 public) or seed? or nounce? or random) adj3 (regenerat\$ or generate? or creat\$ or build\$ or assembl\$)) and ((timing or time or signal) adj1 (delay or lag or shift\$ or delta or arrival))) and @ad<"20011030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 13:30
L8	215	("709"/\$.ccls. or "380"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and (((\$crypt\$ or \$cipher\$ or \$scrambl\$) with (file? or data or record? or packet? or block?)) and ((key? or seed? or nounce? or random) adj3 (regenerat\$ or generate? or creat\$ or build\$ or assembl\$)) and ((timing or time or signal) adj1 (delay or shift\$ or delta or arrival))) and @ad<"20011030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2006/09/26 13:34
L9	135	("709"/\$.ccls. or "380"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and (((\$crypt\$ or \$cipher\$ or \$scrambl\$) with (file? or data or record? or packet? or block?)) and ((key? or seed? or nounce? or random) adj3 (regenerat\$ or generate? or creat\$ or build\$ or assembl\$)) and ((timing or time or signal) adj1 (delay or shift\$ or delta or arrival)) and (remote or satellite or gps or mobile or moble)) and @ad<"20011030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:46

L10	28	("709"/\$.ccls. or "380"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and (((\$crypt\$ or \$cipher\$ or \$scrambl\$)	US-PGPUB	OR	OFF	2006/09/26 14:49
	·	with (file? or data or record? or packet? or block?)) and ((key? or seed? or nounce? or random) adj3 (regenerat\$ or generate? or creat\$ or build\$ or assembl\$)) and ((timing or time or signal) adj1 (delay or shift\$ or delta or arrival)) and (remote or satellite or gps or mobile or moble))				
L11	85	and @ad<"20011030" (((\$crypt\$ or \$cipher\$ or \$scrambl\$) with (file? or data or record? or packet? or block?)) and ((key? or seed? or nounce? or random) adj3 (regenerat\$ or generate? or creat\$ or build\$ or assembl\$)) and ((timing or time or signal) adj1 (delay or shift\$ or delta or arrival)) and (remote or	US-PGPUB	OR	OFF	2006/09/26 14:51
L12	439	satellite or gps or mobile or moble)) and @ad<"20011030" (((\$crypt\$ or \$cipher\$ or \$scrambl\$)	US-PGPUB	OR	OFF	2006/09/26 14:51
		with (file? or data or record? or packet? or block?)) and ((key? or seed? or nounce? or random) adj3 (regenerat\$ or generate? or creat\$ or build\$ or assembl\$)) and ((timing or time or signal) adj1 (delay or shift\$ or delta or arrival)) and (remote or satellite or gps or mobile or moble))				2000/03/20 11.31
S1	2	"5933498".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFÊ ~	2004/08/12 16:27
S2	1	"5933498".pn. and drive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 15:05
53	0	"5598577".pn. and (entropy or diversif\$ or random\$) and drive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 15:15
S4	1	"5598577".pn. and (key) and drive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR 1,01,5	OFF	2004/08/12 16:22

			~ •			
S5	7215	(entropy or diversif\$ or random\$) and drive and authenticat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2004/08/12 15:16
S6	2611	(entropy or diversif\$ or random\$) and drive and authenticat\$ and (\$crypt\$ or \$cipher\$) with key and public	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 15:18
S7	. 1311	("713"/\$.ccls. or "380"/\$.ccls.) and (entropy or diversif\$ or random\$) and drive and authenticat\$ and (\$crypt\$ or \$cipher\$) with key and public	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 15:20
S8	, 7	("713"/\$.ccls. or "380"/\$.ccls.) and (drive with identif\$) and authenticat\$ and (\$crypt\$ or \$cipher\$) with ((key with public) with (entropy or diversif\$ or random\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 15:30
S9	. 0	("709"/\$.ccls. or "713"/\$.ccls. or "380"/\$.ccls.) and (drive with identif\$) and authenticat\$ and (\$crypt\$ or \$cipher\$) with ((key with public) with (entropy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/06/30 16:17
Si0	0	("709"/\$.ccls. or "713"/\$.ccls. or "380"/\$.ccls.) and (drive with identif\$) and authenticat\$ and (\$crypt\$ or \$cipher\$) and (entropy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 15:37
S11	61	("709"/\$.ccls. or "713"/\$.ccls. or "380"/\$.ccls.) and (drive) and authenticat\$ and (\$crypt\$ or \$cipher\$) and (entropy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2004/08/12 15:50
S12	62	("709"/\$.ccls. or "713"/\$.ccls. or "380"/\$.ccls.) and (drive) and (key with (generat\$ or creat\$)) and (\$crypt\$ or \$cipher\$) and (entropy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 15:56
S13	94	(drive) and (key with (generat\$ or creat\$)) and (\$crypt\$ or \$cipher\$) and (entropy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 15:57
S14	0	"5659617".pn. and (key) and drive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFĖ	2004/08/12 16:22

		<u></u>	<u> </u>			
S15	1	"5659617".pn. and (key) and time .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:48
S16	.0	"5933498".pn. and "access time"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 16:28
S17	2	"5933498".pn. and access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 16:28
S18		"5933498".pn. and (access with (file or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 16:31
S19	0	"5933498".pn. and (access with (file or data) with "when")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2004/08/12 16:35
S20	.1	"5933498".pn. and (access with (file or data) and ("when" or time or duration or period))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2004/08/12 17:09
S21	2	"6429773".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 17:09
S22	2	"20040049675".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 17:10
S23	1	"5659617".pn. and (key) and time and (password or pin or code or passcode or keyword)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:48
S81	2	("709"/\$.ccls. or "713"/\$.ccls. or "380"/\$.ccls.) and authenticat\$ and (\$crypt\$ or \$cipher\$) with ((key with public) with (entropy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR ,	OFF	2005/06/30 16:18

·						
S82	747	("709"/\$.ccls. or "713"/\$.ccls. or "380"/\$.ccls.) and (authenticat\$ with (global or position\$ or location)) and (\$crypt\$ or \$cipher\$) and ((key with public))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 16:21
S83	188	("709"/\$.ccls. or "713"/\$.ccls. or "380"/\$.ccls.) and (authenticat\$ adj3 (global or position\$ or location)) and (\$crypt\$ or \$cipher\$) and ((key with public))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/06/30 16:22
_. S84	19	("709"/\$.ccls. or "713"/\$.ccls. or "380"/\$.ccls.) and (authenticat\$ adj3 (global or position\$ or location)) and (\$crypt\$ or \$cipher\$) and (key with public) and (propagat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 16:39
S85	15	("709"/\$.ccls. or "713"/\$.ccls. or "380"/\$.ccls.) and (authenticat\$ with (global or position\$ or location)) and (\$crypt\$ or \$cipher\$) and (key with public) and (propagat\$ adj2 (delay or transit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 16:43
S86	38	(authenticat\$ with (global or position\$ or location)) and (\$crypt\$ or \$cipher\$) and (key with public) and (propagat\$ adj2 (delay or transit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 16:45
S87	64	(authenticat\$ with (global or position\$ or location)) and (\$crypt\$ or \$cipher\$) and (key with public) and (propagat\$ adj2 (time or timing or delay or transit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 16:35
S88	69	((authenticat\$ or activat\$ or xp) with (global or position\$ or location)) and (\$crypt\$ or \$cipher\$) and (key with public) and (propagat\$ adj2 (time or timing or delay or transit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 16:41
S89	541	((authenticat\$ or activat\$) with (global or position\$ or location)) and (\$crypt\$ or \$cipher\$) and (key with public) and windows	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 16:42
S90		((authenticat\$ or activat\$) with (global or position\$ or location)) and (\$crypt\$ or \$cipher\$) and (key with public) and "windows xp"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2005/07/05 16:45

S91	85	((authenticat\$ or activat\$) and (global or position\$ or location)) and (\$crypt\$ or \$cipher\$) and (key with public) and "windows xp"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 16:47
S92	80	((authenticat\$ or activation) and (global or position\$ or location)) and (\$crypt\$ or \$cipher\$) and (key with public) and "windows xp"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 16:51
S93	92	(authenticat\$ or activation) and (\$crypt\$ or \$cipher\$) and (key with public) and "windows xp"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 12:37